



## Safety Data Sheet

Page 1 of 8

LOCTITE SF 7840 BO1GA

SDS No. : 534971

V001.4

Revision: 11.11.2020

printing date: 10.06.2022

### Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:**

LOCTITE SF 7840 BO1GA

**Other means of identification:**

LOCTITE SF 7840 BO1GA

**Product code:**

IDH2046047

**Recommended use of the chemical and restrictions on use**

**Intended use:**

Cleaner

**Identification of manufacturer, importer or distributor**

**Manufacturer:** Henkel Corporation, Cleveland, 18731 Cranwood Parkway, Cleveland, OH 44128, United States.

Phone: 001 216 475 3600 Fax: 001 216

**Importer:** Henkel Thailand Ltd Amata Nakorn Industrial Estate, 700/349 Mu 6, Tambol Nong Mai Daeng, Amphur Muang, Chonburi 20000, Thailand. Phone : +6638456300 Fax : +6638456393

**E-mail address of person responsible for Safety Data Sheet:**

ap-ua-psra.sea@henkel.com

**Emergency information:**

FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970

### Section 2. Hazards identification

**GHS Classification:**

**Hazard Class**

Skin sensitizer

**Hazard Category**

Category 1

**GHS label elements:**

**Hazard pictogram:**



**Signal word:**

Warning

**Hazard statement:**

H317 May cause an allergic skin reaction.

**Precaution:**

**Prevention:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Section 3. Composition / information on ingredients**

**Substance or Mixture:**

Mixture

**Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Butyl 3-hydroxybutyrate 53605-94-0	1- 10 %	Serious eye damage/eye irritation 2A H319 Acute hazards to the aquatic environment 3 H402
2-methylisothiazol-3(2H)-one 2682-20-4	< 0.1 %	Acute toxicity 3; Oral H301 Acute toxicity 2; Inhalation H330 Acute toxicity 3; Dermal H311 Skin corrosion/irritation 1 H314 Serious eye damage/eye irritation 1 H318 Skin sensitizer 1A H317 Acute hazards to the aquatic environment 1 H400 Chronic hazards to the aquatic environment 1 H410

**Section 4. First aid measures**

**Inhalation:**

Move to fresh air.  
If breathing is difficult, give oxygen.  
If not breathing, give artificial respiration.  
Get medical attention.

**Skin contact:**

Immediately flush skin with plenty of water (using soap, if available).  
Remove contaminated clothing and footwear.  
Wash clothing before reuse.  
If symptoms develop and persist, get medical attention.

**Eye contact:**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention.

**Ingestion:**

DO NOT induce vomiting unless directed to do so by medical personnel.  
Never give anything by mouth to an unconscious person.  
Get medical attention.

### Section 5. Fire fighting measures

**Suitable extinguishing media:**

All common extinguishing agents are suitable.

**Special protection equipment and precautions for firefighters:**

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Hazardous combustion products:**

Thermal decomposition can lead to release of irritating gases and vapors.  
Oxides of carbon.

### Section 6. Accidental release measures

**Personal precautions:**

Avoid skin and eye contact.  
Wear protective equipment.  
Ensure adequate ventilation.  
See advice in section 8

**Environmental precautions:**

Do not empty into drains / surface water / ground water.  
Prevent further leakage or spillage if safe to do so.

**Clean-up methods:**

Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Store in a partly filled, closed container until disposal.  
Dispose of contaminated material as waste according to Section 13.

### Section 7. Handling and storage

**Handling:**

Use only with adequate ventilation.  
Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.  
Do not taste or swallow.  
Do not wear contact lenses.  
For operations where eye or face contact could occur, provide safety shower and eyewash fountain.

## Section 8. Exposure controls / personal protection

Components with specific control parameters for workplace:

**Respiratory protection:**

Suitable breathing mask when there is inadequate ventilation.

**Eye protection:**

Safety goggles or safety glasses with side shields.  
Wear chemical goggles; face shield (if splashing is possible).  
Protective eye equipment should conform to EN166.

**Body protection:**

Use impermeable gloves and protective clothing as necessary to prevent skin contact.  
Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

**Engineering controls:**

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Hygienic measures:**

Wash hands before work breaks and after finishing work.  
Do not eat, drink or smoke while working.  
Take off contaminated clothing and wash before reuse.

## Section 9. Physical and chemical properties

<b>Appearance:</b>	Blue Low viscosity, Liquid
<b>Odor:</b>	Mild
<b>Odor threshold (CA):</b>	No data available.
<b>pH:</b>	7.5 - 9
<b>Melting point / freezing point:</b>	Not applicable
<b>Specific gravity:</b>	1
<b>Boiling point:</b>	100 °C (212 °F)
<b>Flash point:</b>	> 93 °C (> 199.4 °F)
<b>Evaporation rate:</b>	Same as water.
<b>Flammability (solid, gas):</b>	No data available.
<b>Lower explosive limit:</b>	No data available.
<b>Upper explosive limit:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	Not applicable
<b>Density:</b>	No data available.
<b>Solubility:</b>	Soluble
<b>Partition coefficient: n-octanol/water:</b>	No data available.
<b>Auto ignition:</b>	Not applicable
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.
<b>VOC content:</b>	No data available.

## Section 10. Stability and reactivity

**Reactivity/Incompatible materials:**

Avoid contact with materials sensitive to water.

**Possibility of hazardous reactions:**

None under normal processing.

**Conditions to avoid:**

Store away from incompatible materials.  
Stable under normal conditions of storage and use.

**Hazardous decomposition products:**

No decomposition if used according to specifications.

**Section 11. Toxicological information**

Symptoms of Overexposure: None known.

**Acute oral toxicity:**

Butyl 3-hydroxybutyrate 53605-94-0	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
2-methylisothiazol-3(2H)-one 2682-20-4	Value type	LD50
	Value	120 mg/kg
	Species	rat
	Method	EPA OPPTS 870.1100 (Acute Oral Toxicity)

**Acute inhalative toxicity:**

2-methylisothiazol-3(2H)-one 2682-20-4	Value type	LC50
	Value	0.11 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)

**Acute dermal toxicity:**

Butyl 3-hydroxybutyrate 53605-94-0	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
2-methylisothiazol-3(2H)-one 2682-20-4	Value type	LD50
	Value	242 mg/kg
	Species	rat
	Method	OECD Guideline 402 (Acute Dermal Toxicity)

**Skin corrosion/irritation:**

2-methylisothiazol-3(2H)-one 2682-20-4	Result	corrosive
	Exposure time	4 h
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Respiratory or skin sensitization:**

Butyl 3-hydroxybutyrate 53605-94-0	Result	not sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	sensitising
	Test type	Buehler test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

2-methylisothiazol-3(2H)-one 2682-20-4	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	negative
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	mouse
	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	rat
	Method	OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

**Repeated dose toxicity:**

2-methylisothiazol-3(2H)-one 2682-20-4	Result	NOAEL=60 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	90 ddaily
	Species	rat
	Method	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

**Section 12. Ecological information**

**General ecological information:**

Do not empty into drains / surface water / ground water.

**Toxicity:**

Butyl 3-hydroxybutyrate 53605-94-0	Value type	LC50
	Value	57.2 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Gobiocypris rarus
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Butyl 3-hydroxybutyrate 53605-94-0	Value type	EC50
	Value	> 100 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Value type	LC50
	Value	4.77 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Value type	EC50
	Value	0.93 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

2-methylisothiazol-3(2H)-one 2682-20-4	Value type	NOEC
	Value	0.03 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC50
	Value	0.22 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Value type	EC 50
	Value	41 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	3 h
	Species	activated sludge
	Method	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

**Persistence and degradability:**

Butyl 3-hydroxybutyrate 53605-94-0	Result	readily biodegradable
	Route of application	aerobic
	Degradability	> 60 %
	Method	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
2-methylisothiazol-3(2H)-one 2682-20-4	Result	inherently biodegradable
	Route of application	aerobic
	Degradability	97 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	Result	readily biodegradable
	Route of application	aerobic
	Degradability	> 70 %
	Method	OECD Guideline 309 (Aerobic Mineralisation in Surface Water Simulation Biodegradation Test)

**Bioaccumulative potential / Mobility in soil:**

Butyl 3-hydroxybutyrate 53605-94-0	LogPow	1.29
	Temperature	
	Method	not specified
2-methylisothiazol-3(2H)-one 2682-20-4	LogPow	-0.5
	Temperature	
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

**Section 13. Disposal considerations**

**Product**

**Method of disposal:**

Dispose of in accordance with local and national regulations.

**Packaging**

**Disposal of uncleaned packages:**

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

**Section 14. Transport information**

**Road transport ADR:**

Not dangerous goods

**Railroad transport RID:**

Not dangerous goods

**Inland water transport ADN:**

Not dangerous goods

**Marine transport IMDG:**

Not dangerous goods

**Air transport IATA:**

Not dangerous goods

**Section 15. Regulatory information**

**Regulatory Information:**

Ministry of Industry Notice. The system to classify and communicate the hazard of hazardous material, BE. 2555

**Global inventory status:**

Regulatory list	Notification
TSCA	yes
DSL	yes

**Section 16. Other information**

**Disclaimer:**

This Safety Data Sheet has been generated based on Ministry of Industry Notice. The system to classify and communicate the hazard of hazardous material, BE. 2555 only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance. This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).