



Safety Data Sheet

Page 1 of 13

TEROSON RB AL6000 PA20KG

SDS No. : 240088

V001.5

Revision: 21.06.2018

printing date: 28.03.2019

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name:

TEROSON RB AL6000 PA20KG

Other means of identification:

TEROSON RB AL6000 PA20KG

Product code:

IDH851399

Recommended use of the chemical and restrictions on use

Intended use:

Adhesive

Identification of manufacturer, importer or distributor

Manufacturer: Henkel Australia Pty. Ltd., Kilsyth, 135-141 Canterbury Road, 3137 Kilsyth, VIC, Australia. Phone: +61-3-9724-6444

Importer: Henkel Thailand Ltd The Offices at Centralworld, 35th Floor, 999/9 Rama 1 Rd, Kwang Patumwan, Khet Patumwan, Bangkok 10330, Thailand. Phone : + 6622098000 Fax : +6622098008

E-mail address of person responsible for Safety Data Sheet:

ap-ua-psra.sea@henkel.com

Emergency information:

FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970

Section 2. Hazards identification

GHS Classification:

Hazard Class

Serious eye damage/eye irritation
Skin sensitizer
Toxic to reproduction
Chronic hazards to the aquatic environment

Hazard Category

Category 1
Category 1
Category 2
Category 3

GHS label elements:

Hazard pictogram:



Signal word:

Danger

Hazard statement:

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.
H412 Harmful to aquatic life with long lasting effects.

Precaution:

Prevention:

P201 Obtain special instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section 3. Composition / information on ingredients

Substance or Mixture:
Mixture

Declaration of hazardous chemical:

Hazard component CAS-No.	Content	GHS Classification
4,4'-Isopropylidenediphenol 80-05-7	1- 10 %	Acute toxicity 5; Oral H303 Acute toxicity 5; Dermal H313 Serious eye damage/eye irritation 1 H318 Skin sensitizer 1 H317 Toxic to reproduction 1B H360 Specific target organ toxicity - single exposure 3 H335 Acute hazards to the aquatic environment 2 H401 Chronic hazards to the aquatic environment 2 H411
Carbon black 1333-86-4	1- 10 %	
1-Propoxypropan-2-ol 1569-01-3	1- 10 %	Flammable liquids 3 H226 Acute toxicity 5; Oral H303 Acute toxicity 5; Dermal H313 Serious eye damage/eye irritation 2A H319
Methenamine 100-97-0	1- 10 %	Flammable solids 2 H228 Skin sensitizer 1B H317
tert-Dodecanethiol 25103-58-6	0.1- 1 %	Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 2A H319 Skin sensitizer 1 H317 Chronic hazards to the aquatic environment 4 H413

Section 4. First aid measures

Inhalation:

Move to fresh air.

In case of adverse health effects seek medical advice.

Skin contact:

Immediately rinse with copious amounts of running water (for 10 minutes). Remove contaminated clothes. Put on a bandage with sterile gauze, seek medical attention in hospital.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 5 minutes. If pains remain (intensive smarting, sensitivity to light, visual disturbance) continue flushing and contact/seek doctor or hospital.

Ingestion:

Immediate medical treatment necessary.

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Section 5. Fire fighting measures

Suitable extinguishing media:

Carbon dioxide, foam, powder

Specific hazards arising from the chemical:

Formation of toxic gases is possible during heating or in fires.

In case of fire, keep containers cool with water spray.

Special protection equipment and precautions for firefighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

Section 6. Accidental release measures

Personal precautions:

Avoid skin and eye contact.

Wear protective equipment.

Remove sources of ignition.

Keep unprotected persons away.

Environmental precautions:

Do not empty into drains / surface water / ground water.

Inform authorities in the event of product spillage to water courses or sewage systems.

Clean-up methods:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Handling:

Avoid skin and eye contact.

Keep away from sources of ignition - no smoking.

See advice in section 8

Storage:

Ensure good ventilation/extraction.

Protect from freezing.

Store in original container at temperatures 5-10°C.

Keep away from heat and direct sunlight.

Product irreversibly damaged and not usable outside of temp. limits

Section 8. Exposure controls / personal protection

Components with specific control parameters for workplace:

CARBON BLACK, INHALABLE FRACTION 1333-86-4	Value type	Time Weighted Average (TWA):
	mg/m ³	3
	Remarks	ACGIH

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Goggles which can be tightly sealed.

Protective eye equipment should conform to EN166.

Body protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Engineering controls:

Ensure good ventilation/suction at the workplace.

Hygienic measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Take off contaminated clothing and wash before reuse.

Section 9. Physical and chemical properties

Appearance:	black
Odor:	Liquid, emulsion
Odor threshold (CA):	ammoniacal, mild
pH:	No data available.
Melting point / freezing point:	No data available.
Specific gravity:	1.03 - 1.05
Boiling point:	No data available.
Flash point:	Not available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Lower explosive limit:	No data available.
Upper explosive limit:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.

Density:	> 1.042 g/cm ³
Solubility:	No data available.
Partition coefficient: n-octanol/water:	No data available.
Auto ignition:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
VOC content:	No data available.

Section 10. Stability and reactivity

Reactivity/Incompatible materials:

None if used for intended purpose.

Chemical stability:

Stable under recommended storage conditions.

Conditions to avoid:

None if used for intended purpose.

Hazardous decomposition products:

No decomposition if used according to specifications.

Section 11. Toxicological information

General toxicological information:

Persons suffering from allergic reactions to amines should avoid contact with the product.

Symptoms of Overexposure:

None known.

Acute oral toxicity:

4,4'-Isopropylidenediphenol 80-05-7	Value type	LD50
	Value	> 2,000 - < 5,000 mg/kg
	Species	
	Method	
4,4'-Isopropylidenediphenol 80-05-7	Value type	Acute toxicity estimate (ATE)
	Value	2,500 mg/kg
	Species	
	Method	Expert judgement
Carbon black 1333-86-4	Value type	LD50
	Value	> 8,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
1-Propoxypropan-2-ol 1569-01-3	Value type	LD50
	Value	2,490 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Methenamine 100-97-0	Value type	LD50
	Value	9,200 mg/kg
	Species	rat
	Method	not specified
tert-Dodecanethiol 25103-58-6	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)

Acute dermal toxicity:

4,4'-Isopropylidenediphenol 80-05-7	Value type	LD50
	Value	3,600 mg/kg
	Species	rabbit
	Method	not specified
Carbon black 1333-86-4	Value type	LD50
	Value	> 15,400 mg/kg
	Species	rabbit
	Method	not specified
1-Propoxypropan-2-ol 1569-01-3	Value type	LD50
	Value	3,775 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
Methenamine 100-97-0	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rat
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
tert-Dodecanethiol 25103-58-6	Value type	LD50
	Value	12,600 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation:

Carbon black 1333-86-4	Result	not irritating
	Exposure time	24 h
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
1-Propoxypropan-2-ol 1569-01-3	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Methenamine 100-97-0	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
tert-Dodecanethiol 25103-58-6	Result	irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Carbon black 1333-86-4	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
1-Propoxypropan-2-ol 1569-01-3	Result	Category 2 (irritant)
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Methenamine 100-97-0	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
tert-Dodecanethiol 25103-58-6	Result	moderately irritating
	Exposure time	
	Species	rabbit
	Method	not specified

Respiratory or skin sensitization:

4,4'-Isopropylidenediphenol 80-05-7	Result	not sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 406 (Skin Sensitisation)
Carbon black 1333-86-4	Result	not sensitising
	Test type	Buehler test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)
Carbon black 1333-86-4	Result	not sensitising
	Test type	Respiratory sensitisation
	Species	mouse
	Method	not specified
1-Propoxypropan-2-ol 1569-01-3	Result	not sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Methenamine 100-97-0	Result	sensitising
	Test type	Guinea pig maximisation test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)
tert-Dodecanethiol 25103-58-6	Result	sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Germ cell mutagenicity:

4,4'-Isopropylidenediphenol 80-05-7	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	not specified
Carbon black 1333-86-4	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Carbon black 1333-86-4	Result	negative
	Type of study / Route of administration	sister chromatid exchange assay in mammalian cells
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 479 (Genetic Toxicology: In Vitro Sister Chromatid Exchange Assay in Mammalian Cells)
Carbon black 1333-86-4	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Carbon black 1333-86-4	Result	negative
	Type of study / Route of administration	oral: feed
	Metabolic activation / Exposure time	
	Species	Drosophila melanogaster
	Method	OECD Guideline 477 (Genetic Toxicology: Sex-linked Recessive Lethal Test in Drosophila melanogaster)
1-Propoxypropan-2-ol 1569-01-3	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
1-Propoxypropan-2-ol 1569-01-3	Result	negative
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
1-Propoxypropan-2-ol 1569-01-3	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Methenamine 100-97-0	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Methenamine 100-97-0	Result	positive
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
tert-Dodecanethiol 25103-58-6	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
tert-Dodecanethiol 25103-58-6	Result	negative
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
tert-Dodecanethiol 25103-58-6	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
tert-Dodecanethiol 25103-58-6	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	mouse
	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity:

Carbon black 1333-86-4	Result	NOAEL= $\geq$ 52 mg/kg
	Route of application	oral: feed
	Exposure time / Frequency of treatment	2 ydaily
	Species	rat
	Method	not specified
1-Propoxypropan-2-ol 1569-01-3	Result	
	Route of application	inhalation
	Exposure time / Frequency of treatment	6 hours per day5 days per week
	Species	rat
	Method	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
tert-Dodecanethiol 25103-58-6	Result	NOAEL=50 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	daily
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water.

Ecotoxicity: Harmful to aquatic life with long lasting effects.

Toxicity:

4,4'-Isopropylidenediphenol 80-05-7	Value type	LC50
	Value	4.6 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Pimephales promelas
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
	Value type	NOEC
	Value	0.016 mg/l
	Acute Toxicity Study	Fish
	Exposure time	444 d
	Species	Pimephales promelas
	Method	EPA OPP 72-5 (Fish Life Cycle Toxicity)
4,4'-Isopropylidenediphenol 80-05-7	Value type	EC50
	Value	3.9 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
4,4'-Isopropylidenediphenol 80-05-7	Value type	EC50
	Value	> 2.73 - 3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	96 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC10
	Value	1.36 mg/l
	Acute Toxicity Study	Algae
	Exposure time	96 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
4,4'-Isopropylidenediphenol 80-05-7	Value type	EC10
	Value	> 320 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	18 h
	Species	Pseudomonas putida
	Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
1-Propoxypropan-2-ol 1569-01-3	Value type	LC50
	Value	1,732 mg/l

	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Brachydanio rerio (new name: Danio rerio)
	Method	ISO 7346-1 (Determination of the Acute Lethal Toxicity of Substances to a Freshwater Fish [Brachydanio rerio Hamilton-Buchanan (Teleostei, Cyprinidae)])
1-Propoxypropan-2-ol 1569-01-3	Value type	EC50
	Value	> 100 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	other guideline:
1-Propoxypropan-2-ol 1569-01-3	Value type	EC50
	Value	1,466 mg/l
	Acute Toxicity Study	Algae
	Exposure time	96 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	EPA OTS 797.1050 (Algal Toxicity, Tiers I and II)
1-Propoxypropan-2-ol 1569-01-3	Value type	EC0
	Value	1,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	Pseudomonas putida
	Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Methenamine 100-97-0	Value type	LC50
	Value	49,800 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Pimephales promelas
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Methenamine 100-97-0	Value type	EC50
	Value	36,000 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Methenamine 100-97-0	Value type	NOEC
	Value	1,500 mg/l
	Acute Toxicity Study	Algae
	Exposure time	14 d
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	Algal Assay Procedure (AAP); Bottle Test; U.S. Environm. Prot. Agency (EPA)
	Value type	EC50
	Value	3,000 mg/l
	Acute Toxicity Study	Algae
	Exposure time	14 d
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	Algal Assay Procedure (AAP); Bottle Test; U.S. Environm. Prot. Agency (EPA)
Methenamine 100-97-0	Value type	EC50
	Value	> 5,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	other:
	Method	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
tert-Dodecanethiol 25103-58-6	Value type	LC50
	Value	70 mg/l
	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Leuciscus idus
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
tert-Dodecanethiol 25103-58-6	Value type	EC50
	Value	81 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	DIN 38412-09
tert-Dodecanethiol 25103-58-6	Value type	EC0
	Value	> 10,000 mg/l

	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
	Method	not specified

Persistence and degradability:

4,4'-Isopropylidenediphenol 80-05-7	Result	readily biodegradable
	Route of application	aerobic
	Degradability	89 %
	Method	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
1-Propoxypropan-2-ol 1569-01-3	Result	readily biodegradable
	Route of application	aerobic
	Degradability	91.5 %
	Method	OECD Guideline 301 A (new version) (Ready Biodegradability: DOC Die Away Test)
Methenamine 100-97-0	Result	not inherently biodegradable
	Route of application	aerobic
	Degradability	67 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	Result	not readily biodegradable.
	Route of application	aerobic
	Degradability	35 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
tert-Dodecanethiol 25103-58-6	Result	
	Route of application	aerobic
	Degradability	0 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential / Mobility in soil:

4,4'-Isopropylidenediphenol 80-05-7	Bioconcentration factor (BCF)	5.1 - 67
	Exposure time	42 d
	Species	Cyprinus carpio
	Temperature	25 °C
	Method	other guideline:
4,4'-Isopropylidenediphenol 80-05-7	LogPow	3.4
	Temperature	21.5 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
1-Propoxypropan-2-ol 1569-01-3	LogPow	0.621
	Temperature	20 °C
	Method	QSAR (Quantitative Structure Activity Relationship)
Methenamine 100-97-0	LogPow	-2.18
	Temperature	20 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
tert-Dodecanethiol 25103-58-6	LogPow	7.43
	Temperature	
	Method	QSAR (Quantitative Structure Activity Relationship)

Section 13. Disposal considerations**Product****Method of disposal:**

Dispose of in accordance with local and national regulations.

In consultation with the responsible local authority, must be subjected to special treatment.

Packaging**Disposal of uncleaned packages:**

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Section 14. Transport information

Road transport ADR:

Not dangerous goods

Railroad transport RID:

Not dangerous goods

Inland water transport ADN:

Not dangerous goods

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

Regulatory Information:

Ministry of Industry Notice. The system to classify and communicate the hazard of hazardous material, BE. 2555

Global inventory status:

Regulatory list	Notification
TSCA	yes
DSL	yes
PICCS (PH)	yes
IECSC	yes

Section 16. Other information

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.