



“EVERYTHING
STARTS BY
CUTTING”

www.bekamak.com

PRODUCT RANGE 2017




BMS 230 DG

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		



BMSY 230 DG

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		



BMSY 230 DGH

	○	□	□
0°	230	320x130	230
45° L	180	230x100	150
45° R	210	230x160	180
60° R	120	120x100	100
1,0/1,3 kW	2730x27x0,9mm		




BMS 270 DG

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		



BMSY 270 DG

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		




BMSY 270 DGH

	○	□	□
0°	270	350x220	270
45° L	210	270x210	180
45° R	240	270x200	170
60° R	150	150x100	100
1,5 kW	3160x27x0,9mm		



BMSO 230

	○	□	□
0°	230	240x230	230
1,0/1,3 kW	2730x27x0,9mm		



BMH 170

	○	□	□
0°	170	200x120	145
45°	110	110x110	120
0,75 kW	350x30x1,5mm		



BMSY 350 M

	○	□	□
0°	350	570x260	350
45° L	350	460x180	350
2,2 kW	4160x34x1,1mm		

WANG DAENG INDUSTRIAL SUPPLIES CO., LTD.

Explanatories



Manual



0°
Mitre Capacity



60° / 0° / -45°
Mitre Capacity



Semiautomatic



0° / -45°
Mitre Capacity



60° / 0° / -60°
Mitre Capacity



Automatic



0° / -60°
Mitre Capacity




60° / 0°
Mitre Capacity



BMS 280

	○	□	□
0°	280	350x200	280
45° L	240	240x180	210
1,5 kW	3400x27x0,9mm		



BMSY 280

	○	□	□
0°	280	350x200	280
45° L	240	240x180	210
1,5 kW	3400x27x0,9mm		



BMS 320

	○	□	□
0°	320	440x220	320
45° L	280	280x200	260
1,5 kW	3660x27x0,9mm		



BMSY 320

	○	□	□
0°	320	440X220	320
45° L	280	280X200	260
1,5 kW	3660x27x0,9mm		



BMSO 320

	○	□	□
0°	320	320X300	300
2,2 kW	3660x27x0,9mm		



BMS 320 L

	○	□	□
0°	330	610x310	330
45° L	320	460x180	320
2,2 kW	4160x34x1,1mm		



BMSY 320 L

	○	□	□
0°	330	610x310	330
45° L	320	460x180	320
2,2 kW	4160x34x1,1mm		



BMSO 320 L

	○	□	□
0°	330	500x320	330
2,2 kW	4160x34x1,1mm		



BMSY 360 DGH ECO

	○	□	□
0°	360	510x360	360
+45° R	360	390x360	360
+60° R	200	200x360	300
-45° L	360	390x360	360
-60° L	260	260x360	260
3 kW	4800x34x1,1mm		

WANG DAENG INDUSTRIAL SUPPLIES CO., LTD.



1.2 MT ROLLER TABLE



SITI GEARBOX




BLADE BRUSH



INVERTER



HEIGHT ADJUSTMENT
SWITCH



HYDROMECHANIC
BLADE TENSION



HYDRAULIC VICE



BMSY 440

	○	□	□
0°	440	610x440	440
45° L	410	410x440	410
3 kW	5200x34x1,1mm		



BMSO 440

	○	□	□
0°	440	580x440	440
3 kW	5200x34x1,1mm		



BMS 320 G

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
1,5 kW	3660x27x0,9mm		



BMSY 320 G

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
1,5 kW	3660x27x0,9mm		



BMS 320 GL

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		



BMSY 320 GL

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		



BMSO 320 GH

	○	□	□
0°	320	350x320	320
45° R	260	250x180	180
60° R	300	300x200	250
75° R	320	350x200	300
2,2 kW	3660x27x0,9mm		



BMSO 320 GLH

	○	□	□
0°	320	610x320	320
45° R	320	355x320	320
60° R	320	510x320	320
75° R	320	580x320	320
2,2 kW	4160x34x1,1mm		



BMSO 320 H

	○	□	□
0°	320	350x320	320
2,2 kW	3660x27x0,9mm		

WANG DAENG INDUSTRIAL SUPPLIES CO., LTD.



HEIGHT ADJUSMENT SWITCH



1,2 MT ROLLER TABLE



CONTROL PANEL



BLADE BRUSH



SECURITY SWITCH



SITI GEARBOX




SAP COOLANT PUMP



BMSO 320 LH NC

	○	□	□
0°	320	610x310	320
2,2 kW		4160x34x1,1mm	



BMSO 325 CH NC

	○	□	□
0°	325	350x325	325
2,2 kW		4380x34x1,1mm	




BMSO 360 CH NC

	○	□	□
0°	360	400x360	360
3 kW		4800x34x1,1mm	



BMSO 460 CH NC

	○	□	□
0°	460	550x460	460
4 kW		5200x41x1,3mm	



BMSO 560 CH NC

	○	□	□
0°	560	600x560	560
4 kW		6000x41x1,3mm	



BMSO 650 CH

	○	□	□
0°	650	1050x600	600
7,5 kW		8400x54x1,6mm	

WANG DAENG INDUSTRIAL SUPPLIES CO., LTD.



BMSY 440 DGH / NC

	○	□	□
0°	440	610x440	440
+45° R	410	410x440	410
+60° R	320	250x440	250
-45° L	410	410x440	410
-60° L	320	285x440	285
3 kW		5200x34x1,1mm	



BMSY 360 DGH / NC

	○	□	□
0°	360	610x360	360
+45° R	360	490x360	360
+60° R	340	300x360	300
-45° L	360	490x360	360
-60° L	360	360x360	360
3 kW		5000x34x1,1mm	



BMSY 325 CGH

	○	□	□
0°	325	400x320	320
45° R	305	270x320	270
60° R	190	180x240	180
2,2 kW		4380x34x1,1mm	



SITI GEARBOX

LINEER WAY



BMSY 440 CGH

	○	□	□
0°	450	695x425	425
45° R	430	430x425	425
60° R	320	260x425	290
4 kW		5400x41x1,3mm	



BMSY 360 CGH

	○	□	□
0°	360	700x360	360
45° R	360	450x360	360
60° R	325	280x360	290
3 kW		5200x34x1,1mm	



BMSY 540 CGH			
	○	□	□
0°	540	750x540	540
45° R	510	450x540	450
60° R	270	250x540	250
4 kW 6000x41x1,3mm			



BMSY 810 CGH			
	○	□	□
0°	810	810x770	770
45° R	555	555x770	555
60° R	320	310x770	310
4 kW 8200x41x1,3mm			



BMSO 325 CGH NC			
	○	□	□
0°	325	400x315	315
45° R	300	300x315	300
60° R	200	200x315	200
2,2 kW 4380x34x1,1mm			



BMSO 360 CGH NC			
	○	□	□
0°	360	610x360	360
45° R	360	450x360	360
60° R	325	280x360	290
3 kW 5200x34x1,1mm			



BMSO 440 CGH NC			
	○	□	□
0°	450	610x425	425
45° R	430	430x425	425
60° R	320	260x425	290
4 kW 5400x41x1,3mm			



BMSO 540 CGH NC			
	○	□	□
0°	540	670x540	540
45° R	510	450x540	450
60° R	270	250x540	250
4 kW 6000x41x1,3mm			



BMSY 360 CDGH			
	○	□	□
0°	360	640x360	360
+45° R	360	390x360	360
-45° L	360	390x360	360
+60° R	310	250x360	270
3 kW 5000x34x1,1mm			



BMSY 440 CDGH			
	○	□	□
0°	440	640x440	440
+45° R	400	400x440	400
-45° L	390	390x440	390
+60° R	250	250x440	250
4 kW 5200x41x1,3mm			



BMSY 560 DG			
	○	□	□
0°	560	820x540	540
+45° R	550	550x540	540
-45° L	550	550x540	540
+60° R	360	360x540	360
4 kW 6800x41x1,3mm			



BMSY 650 DG NC			
	○	□	□
0°	650	1000x600	600
+45° R	650	660x600	600
-45° L	650	660x600	600
+60° R	440	440x600	440
7,5 kW 8400x54x1,6mm			



BMSO 325 C			
	○	□	□
0°	325	350x325	325
2,2 kW 4160x34x1,1mm			



BMSO 360 C			
	○	□	□
0°	380	430x380	380
3 kW 4800x34x1,1mm			



BMSO 460 C

	○	□	□
0°	460	470x460	460
4 kW	5200x41x1,3mm		



BMSO 560 C

	○	□	□
0°	560	570x560	560
4 kW	6000x41x1,3mm		



BMSY 325 C

	○	□	□
0°	325	450x325	325
45°	250	250x325	250
2,2 kW	4160x34x1,1mm		




BMSY 360 C

	○	□	□
0°	380	520x380	380
45°	300	300x380	300
3 kW	4800x34x1,1mm		



BMSY 460 C

	○	□	□
0°	460	650x460	460
45°	380	380x460	380
4 kW	5200x41x1,3mm		



BMSY 560 C

	○	□	□
0°	560	750x560	560
45°	410	410x560	410
4 kW	6000x41x1,3mm		



BMSY 810 C

	○	□	□
0°	810	850x810	810
45°	480	480x810	480
4 kW	8200x41x1,3mm		



BMSY 820 C

	○	□	□
0°	820	850x820	820
45°	480	480x820	480
7,5 kW	8200x54x1,6mm		



BMSY 1020 C

	○	□	□
0°	1020	1020x1020	1020
45°	675	675x1020	675
7,5 kW	9500 x 54 x 1,6 mm		



BMSY 1110 C

	○	□	□
0°	1110	1110x1110	1110
11 kW	10500x67x1,6mm		



BMSY 1313 C

	○	□	□
0°	1110	1110x1300	1110
11 kW	10900x67x1,6mm		



BMSY 1515 C

	○	□	□
0°	1500	1510x1500	1500
15 kW	13300x80x1,6mm		

Slide Connection Roller Tables For BMSY 650 DG



3 MT MOTORIZED ROLLER TABLE FOR BMSY 440 DGH



3 MT MOTORIZED ROLLER TABLE FOR BMSY 820 C



3 MT ROLLER TABLE FOR BMSY 810 C



BEKA - MAK MAKİNE SANAYİ VE TİCARET A.Ş.
Başköy İzmir Yolu Cad. No: 698 16370 Bursa / Türkiye
Tel : +90 (224) 449 03 61
Fax : +90 (224) 449 03 60
E-mail : info@bekamak.com
www.bekamak.com



MEMBER OF



Türkiye Makina
İmalatçılar Birliği
www.mib.org.tr

European Committee for
Cooperation of the Machine Tool Industries
www.cecimo.be


Hydraulic Top Clamping For
BMSY 1110 C



Laser Line Pointer



Multiple Segments



Hydraulic Top Clamping



Chip Conveyor For
BMSY 1110 C



Second Vice For BMSY 1110 C




Hydraulic Top Clamping For
NC Machines



Microspray



Multiple Segments



Hydraulic Blade Tension



Chip Conveyor For
BMSY 650 DG



YOUR BEKA - MAK PARTNER

**WANG DAENG INDUSTRIAL
SUPPLIES CO., LTD.**