



review



Standards

- Saw Blade 27
- SAP Coolant Pump
- Blade Brush
- Height Adjustment switch
- Hydraulic Vice
- Hydromecanic Blade Tension
- standing of the control pedal
- Control Panel
- Metarial Limit Shaft
- Security Switch

Optionals

- Inverter
- Hydromechanical Blade Tension
- Hydraulic Pump System

Technical Datas

Cutting Capacity	0°	230	320 x 130	230
	-45°	180	230 x 160	150
	+45°	210	230 x 160	180
	+60°	120	120 x 100	100
Main Drive Motor	1,0 - 1,5 kW			
Hydraulic Motor	0,37 kW			
Coolant Pump	0,12 kW			
Cutting Speeds	35 - 70 m/min.			
Band Dimensions	2730 x 27 x 0,9 mm			
Working Height	760 mm			
Dimensions	Lenght	1350 mm	Height	1300 mm
	Width	700 mm	Weight	465 kg.

Inverter



Hydromechanical Blade Tension



Hydraulic Pump System



WMS 320 DGH DGH - Hydraulic Vice Standard
 Semi Automatic Double Mitre Cutting Pivot Type Bandsaw Machine
 Wang Daeng Industrial Supplies Co., Ltd. Tel: (038) 337-838-9



STANDARD

- Blade Brush
- Control Panel
- Hydromechanical Blade Tension
- Material Length Stop
- Coolant Pump
- Saw Blade 27
- Security Switch
- Quick Clamping Vice

OPTIONAL

- 3 Mt Material Roller Table
- Inverter
- Microspray Device
- Laser Line Pointer

TECHNICAL DATA - TECHNISCHE DATEN

TYP-TYPE				BMS 230 DG	BMSY 230 DG	BMSY 230 DGH
Cutting Capacity at Schnittbereich	0°	○ Round - Rund	mm	230	230	230
		▭ Flat - Flach	mm	320 x 130	320 x 130	320 x 130
		□ Square - Vierkant	mm	230	230	230
Cutting Capacity at Schnittbereich	-45° left	○ Round - Rund	mm	180	180	180
		▭ Flat - Flach	mm	230 x 100	230 x 100	230 x 100
		□ Square - Vierkant	mm	150	150	150
Cutting Capacity at Schnittbereich	45° right	○ Round - Rund	mm	210	210	210
		▭ Flat - Flach	mm	230 x 160	230 x 160	230 x 160
		□ Square - Vierkant	mm	180	180	180
Cutting Capacity at Schnittbereich	60° right	○ Round - Rund	mm	120	120	120
		▭ Flat - Flach	mm	120 x 100	120 x 100	120 x 100
		□ Square - Vierkant	mm	100	100	100
Main Drive Motor - Hauptmotor			kW	1,0 - 1,3	1,0 - 1,3	1,0 - 1,3
Hydraulic Pump - Materialvorschubmotor			kW	-	0,37	0,37
Coolant Pump - Kühlmittelpumpe			kW	0,12	0,12	0,12
Cutting Speeds - Bandgeschwindigkeit			m/min	35 - 70	35 - 70	35 - 70
Band Dimensions - Sägebandabmessung			mm	2730 x 27 x 0,9	2730 x 27 x 0,9	2730 x 27 x 0,9
Working Height - Arbeitshöhe			mm	760	760	760
Weight - Gewicht			kg	415	430	465
Dimensions - Masse	Length - Länge		mm	1350	1350	1350
	Width - Breite		mm	700	700	700
	Height - Höhe		mm	1300	1300	1300



BLADE BRUSH



HEIGHT ADJUSTMENT SWITCH




MICROSPRAY



HYDROMECHANICAL BLADE TENSION



INVERTER



WANG DAENG INDUSTRIAL SUPPLIES CO., LTD.

116/98 Moo 3 T.Bowin A.Sriracha Chonburi 20230 Tel: (038) 337 838-9 M: 086-332-5516 / www.WANGDEX.com